



Figure 1



Figure 2



Figure 3

The purpose of this document is to provide information on the use of the sling and hoist system. The system is designed to assist in the safe and efficient movement of patients who are unable to move independently. The system consists of a sling, a hoist, and a base. The sling is used to support the patient, and the hoist is used to lift the patient. The base is used to support the hoist. The system is used in a variety of settings, including hospitals, nursing homes, and home care. The system is designed to be used by trained personnel. The system is designed to be used in a safe and efficient manner. The system is designed to be used in a variety of settings, including hospitals, nursing homes, and home care. The system is designed to be used by trained personnel. The system is designed to be used in a safe and efficient manner.

Key Features:

- Maximum weight capacity: 600 lbs
- Maximum height: 73 inches
- Maximum width: 34.5 inches
- Maximum depth: 18 inches
- Maximum length: 73 inches
- Maximum weight: 8000 N
- Maximum height: 73 inches
- Maximum width: 34.5 inches
- Maximum depth: 18 inches

Maximum weight capacity	600 lbs
Maximum height	73 inches
Maximum width	34.5 inches
Maximum depth	18 inches
Maximum length	73 inches
Maximum weight	8000 N
Maximum height	73 inches
Maximum width	34.5 inches
Maximum depth	18 inches

Additional Information:

